Activate<sup>™</sup> Series cardio equipment is for facilities looking for intuitive functionality and extremely reliable performance. It is ideal for small health clubs, residential facilities and hotels.



FLEXDECK SHOCK ABSORPTION SYSTEM Reduces knee and joint stress by up to 30% more than non-cushioned surfaces. Eight durable Lifespring<sup>™</sup> shock absorbers deliver consistent cushioning.



EASY TO USE The Activate Series console provides clear and simple instruction for any





WEIGHT: 325 lbs (147 kg)

MAX USER WEIGHT: 400 lbs (181 kg)

DIMENSIONS (LXWXH): 81 x 32 x 57" (211 x 94 x 161 cm)





exerciser to get on and go.



OPTIONAL ATTACHABLE TV Keep exercisers entertained by upgrading to a 15" attachable TV.



CONNECTION TO CARDIO LFconnect.com and the optional Connect Module provide valuable usage data to determine new equipment needs, preventive maintenance schedules and more.

| TECHNICAL SPECIFICATIONS   |   |
|--|---|
| Power requirements (voltage may vary outside U.S)  | Dedicated<br>120 volts / 20 amp circuit |
| Size (L x W x H)   | 81 x 32 x 57"<br>(205 x 82 x 145 cm)    |
| Unit weight  | 325 lbs (147 kg)                        |
| Step-up height   | 8" (20 cm)                              |
| Ceiling height minimum   | 9″ (2.7 m)                              |
| Maximum user weight  | 400 lbs (181 kg)                        |
| Running surface  | 20 x 60" (51 x 152 cm)                  |
| Rollers (precision crowned steel rollers, front and back)  | 2.75" (7 cm)                            |
| ENTERTAINMENT  |   |
| 15" Attachable TV System*  | 0                                       |
| Goal Workouts: Quick Start, Manual, Random, Hill,<br>Cardio, Fat Burn, Fit Test, WFI (First Responders Protocol)<br>Customized Cool Down                       | •                                       |
| DISPLAY READOUTS   |   |
| Amber LED display  | •                                       |
| 16-character, 14-segment LED alphanumeric message center   | •                                       |
| Speed, Incline, Heart Rate, Pace, Elapsed Time, Distance,<br>Distanced Climbed, Calories, Calories per Hour, Watts, METS                                       | •                                       |
| Workout Profile  | •                                       |
| Language choices: English, French, Spanish, German, Dutch,<br>Italian, Portuguese, Turkish, Japanese, Russian, Chinese<br>(traditional and simplified), Korean | 13                                      |
| CONNECTIVITY   |   |
| Networking capabilities: CSAFE-Ready, FitLinxx™ Certified  | •                                       |
| Available tuner systems: NTSC/ATSC, PAL/SECAM/DVB  | 0                                       |
| Connect Module for asset management  | 0                                       |
| SERVICE  |   |
| LFconnect asset management with Connect Module   | 0                                       |
| Service enhancements: manager's optional settings and service diagnostics  | •                                       |
| Proactive belt wear notification   | •                                       |

| PRODUCT FEATURES   |                                      |
|--|--------------------------------------|
| Heart Rate Monitoring: Polar® Telemetry (optional chest<br>strap required), Lifepulse™ Digital Heart Rate Monitoring<br>with DSP (Digital signal processing) | •                                    |
| Side hand rails  | 18" (46 cm)                          |
| Steel frame, front roller lift wheels and rear levelers  | •                                    |
| Ergo Bar™  | •                                    |
| Speed  | 0.5 - 12 mph<br>(0.8 kph - 19.3 kph) |
| Elevation  | 0 - 15%                              |
| Manager-defined Marathon Mode  | •                                    |
| FlexDeck <sup>®</sup> Shock Absorption System with 8 Lifespring <sup>™</sup> shock absorbers   | •                                    |
| DX3™ Belt and Deck System  | ٠                                    |
| Motor System: 3.0 HP (6.0 HP peak) AC motor with<br>MagnaDrive™ motor controller   | ٠                                    |
| Integrated reading rack  | ٠                                    |
| Integrated accessory tray  | •                                    |
| Screen protection: Protective top layer, internal shock mounts, gasket   | o                                    |
| On-the-fly programming   | •                                    |
| Headphone jack: 3.5 mm stereo  | ٥                                    |
| TV Controls: External numeric remote   | ٥                                    |
| Channel memory: 1000 available channels  | 0                                    |
| Previous channel viewed  | ٥                                    |
| Channel renumbering  | 0                                    |
| Secondary Audio Programs (SAP) - SAP TV broadcast required   | 0                                    |
| Mute feature   | 0                                    |
| Closed captioning  | 0                                    |
| Manager-defined marathon mode (unlimited workout time)   | •                                    |
| WARRANTY**   |                                      |
| 7 year limited on frame, motor and Lifespring Shock  | •                                    |
| 2 year limited on electrical components  | •                                    |
| 1 year limited on labor and mechanical components  | •                                    |
| Attachable TV system option: 2-years electrical and mechanical parts; 90 days labor  | •                                    |

KEY | • STANDARD • OPTIONAL\*

### ACTIVATE SERIES: SIMPLE RELIABILITY

Cardio equipment that's suited for both new exercisers and workout veterans. Activate Series treadmills, cross-trainers and Lifecycle® exercise bikes are built to be durable and easy to use so that exercisers can get on and go.

\*Optional TV requires external power source. AC power line, 115 volt, 15 amp (voltage may vary outside the U.S.) \*\* Warranties outside the U.S. may vary. Specifications subject to change

# LifeFitness.com/ActivateSeries

© 2016 Life Fitness, a division of Brunswick Corporation. All rights reserved. FlexDeck, Life Fitness and Lifecycle are registered trademarks of Brunswick Corporation. Activate, DX3, LFconnect, Lifespring, MagnaDrive are trademarks of Brunswick Corporation. FitLinxx is a trademark of FitLinxx, Inc. Polar is a registered trademark of Polar Electro, Inc. PM-013-16 (5.16)



Activate<sup>™</sup> Series cardio equipment is for facilities looking for intuitive functionality and extremely reliable performance. It is ideal for small health clubs, residential facilities and hotels.



SMOOTH MOTION Extensive biomechanics research has helped create a smooth and natural feeling ellipse path that is comfortable for any exerciser.



EASY TO USE The Activate Series console provides clear and simple instruction for any exerciser to get on and go.





OPTIONAL ATTACHABLE TV Keep exercisers entertained by upgrading to a 15" attachable TV.



CONNECTION TO CARDIO LFconnect.com and the optional Connect Module provide valuable usage data to determine new equipment needs, preventive maintenance schedules and more.

Product code: OSX

WEIGHT: 240 lbs (109 kg)

MAX USER WEIGHT: 350 lbs (160 kg)

DIMENSIONS (LXWXH): 82 x 28 x 60" (209 x 71 x 153 cm)



# ELLIPTICAL CROSS-TRAINER

| TECHNICAL SPECIFICATIONS   |                                      |
|--|--------------------------------------|
| Power requirements (voltage may vary outside U.S)  | Self powered*                        |
| Auto start (Brings power to console when user begins pedaling)   | •                                    |
| Size (L x W x H)   | 82 x 28 x 60"<br>(209 x 71 x 153 cm) |
| Unit weight  | 240 lbs (109 kg)                     |
| Maximum user weight  | 350 lbs (160 kg)                     |
| ENTERTAINMENT  |                                      |
| 15" Attachable TV System*  | 0                                    |
| Goal Workouts: Quick Start, Manual, Random, Hill,<br>Cardio, Fat Burn, Fit Test, Customized Cool Down  | •                                    |
| DISPLAY READOUTS   |                                      |
| Amber LED display  | •                                    |
| 16-character, 14-segment LED alphanumeric message center   | •                                    |
| Speed, Resistance Level, Heart Rate, Elapsed Time, Distance,<br>Calories, Calories per Hour, Watts, METS   | •                                    |
| Workout Profile  | •                                    |
| Language choices: English, French, Spanish, German, Dutch,<br>Italian, Portuguese, Turkish, Japanese, Russian, Chinese<br>(traditional and simplified), Korean | 13                                   |
| CONNECTIVITY   |                                      |
| Networking capabilities: CSAFE-Ready, FitLinxx™ Certified  | •                                    |
| Available tuner systems: NTSC/ATSC, PAL/SECAM/DVB  | 0                                    |
| Connect Module for asset management  | 0                                    |
| SERVICE  |                                      |
| LFconnect asset management with Connect Module   | 0                                    |
| Service enhancements: manager's optional settings and service diagnostics  | •                                    |

| PRODUCT FEATURES   |               |
|--|---------------|
| Heart Rate Monitoring: Polar® Telemetry (optional chest<br>strap required), Lifepulse™ Digital Heart Rate Monitoring<br>with DSP (Digital signal processing) | ٠             |
| Resistance levels  | 25            |
| Stride length  | 18" (45.7 cm) |
| Oversized non-slip pedals  | •             |
| Support handlebars   | •             |
| Integrated reading rack  | •             |
| Integrated accessory tray  | •             |
| Screen protection: Protective top layer, internal shock mounts, gasket   | 0             |
| On-the-fly programming   | •             |
| Headphone jack: 3.5 mm stereo  | 0             |
| Plug-in accessory  | 0             |
| TV Controls: External numeric remote   | 0             |
| Channel memory: 1000 available channels  | 0             |
| Previous channel viewed  | 0             |
| Channel renumbering  | 0             |
| Secondary Audio Programs (SAP) - SAP TV broadcast required   | 0             |
| Mute feature   | 0             |
| Closed captioning  | 0             |
| WARRANTY**   |               |
| 2 year limited on Electrical & Mechanical Components   | •             |
| 1-year limited on labor  | •             |
| Attachable TV system option: 2-years electrical and mechanical parts; 90 days labor  | •             |

KEY | • STANDARD • OPTIONAL\*

### ACTIVATE SERIES: SIMPLE RELIABILITY

Cardio equipment that's suited for both new exercisers and workout veterans. Activate Series treadmills, cross-trainers and Lifecycle® exercise bikes are built to be durable and easy to use so that exercisers can get on and go.

\*Optional TV requires external power source. AC power line, 115 volt, 15 amp (voltage may vary outside the U.S.) \*\* Warranties outside the U.S. may vary. Specifications subject to change

# LifeFitness.com/ActivateSeries

© 2016 Life Fitness, a division of Brunswick Corporation. All rights reserved. Life Fitness and Lifecycle are registered trademarks of Brunswick Corporation. Activate, LFconnect are trademarks of Brunswick Corporation. . FitLinxx is a trademark of FitLinxx, Inc. Polar is a registered trademark of Polar Electro, Inc.PM-013-16 (5.16)



## LIFECYCLE UPRIGHT EXERCISE BIKE

Activate<sup>™</sup> Series cardio equipment is for facilities looking for intuitive functionality and extremely reliable performance. It is ideal for small health clubs, residential facilities and hotels.



A COMFORTABLE RIDE Dozens of seat adjustment positions and optimal pedal positioning ensure that nearly every exerciser can find an ideal riding position.



EASY TO USE The Activate Series console provides clear and simple instruction for any exerciser to get on and go.



OPTIONAL ATTACHABLE TV Keep exercisers entertained by upgrading to a 15" attachable TV.



**CONNECTION TO CARDIO** LFconnect.com and the optional Connect Module provide valuable usage data to determine new equipment needs, preventive maintenance schedules and more.



TREADMILL Product code: OSC

WEIGHT: 130 lbs (59 kg)

MAX USER WEIGHT: 400 lbs (181 kg)

DIMENSIONS (L X W X H): 44 x 23 x 54" (112 x 59 x 137 cm)



| TECHNICAL SPECIFICATIONS   |                                      |
|--|--------------------------------------|
| Power requirements (voltage may vary outside U.S)  | Self powered*                        |
| Auto start (Brings power to console when user begins pedaling)   | •                                    |
| Size (L x W x H)   | 44 x 23 x 54"<br>(112 x 59 x 137 cm) |
| Unit weight  | 130 lbs (59 kg)                      |
| Maximum user weight  | 400 lbs (181 kg)                     |
| ENTERTAINMENT  |                                      |
| 15" Attachable TV System*  | 0                                    |
| Goal Workouts: Quick Start, Manual, Random, Hill,<br>Cardio, Fat Burn, Fit Test, Watts, Customized Cool Down   | •                                    |
| DISPLAY READOUTS   |                                      |
| Amber LED display  | •                                    |
| 16-character, 14-segment LED alphanumeric message center   | ٠                                    |
| Speed, Resistance Level, Heart Rate, Elapsed Time, Distance,<br>Calories, Calories per Hour, Watts, METS, RPM  | •                                    |
| Workout Profile  | •                                    |
| Language choices: English, French, Spanish, German, Dutch,<br>Italian, Portuguese, Turkish, Japanese, Russian, Chinese<br>(traditional and simplified), Korean | 13                                   |
| CONNECTIVITY   |                                      |
| Networking capabilities: CSAFE-Ready, FitLinxx™ Certified  | •                                    |
| Available tuner systems: NTSC/ATSC, PAL/SECAM/DVB  | 0                                    |
| Connect Module for asset management  | 0                                    |
| SERVICE  |                                      |
| LFconnect asset management with Connect Module   | 0                                    |
| Service enhancements: manager's optional settings and service diagnostics  | •                                    |

| PRODUCT FEATURES   |    |
|--|----|
| Heart Rate Monitoring: Polar® Telemetry (optional chest<br>strap required), Lifepulse™ Digital Heart Rate Monitoring<br>with DSP (Digital signal processing) | •  |
| Resistance levels  | 25 |
| Seat adjustments   | 38 |
| Easy adjust pedal strap  | •  |
| Support handlebars   | •  |
| Ratcheting seat adjustment   | •  |
| Racing handlebars  | •  |
| Integrated reading rack  | •  |
| Integrated accessory tray  | •  |
| Front wheels for easy mobility   | •  |
| Screen protection: Protective top layer, internal shock mounts, gasket   | ٥  |
| On-the-fly programming   | •  |
| Headphone jack: 3.5 mm stereo  | 0  |
| Plug-in accessory  | 0  |
| TV Controls: External numeric remote   | 0  |
| Channel memory: 1000 available channels  | 0  |
| Previous channel viewed  | 0  |
| Channel renumbering  | 0  |
| Secondary Audio Programs (SAP) - SAP TV broadcast required   | 0  |
| Mute feature   | 0  |
| Closed captioning  | o  |
| WARRANTY**   |    |
| 2 year limited on electrical and mechanical components   | •  |
| 1 year limited on labor  | •  |
| Attachable TV system option: 2-years electrical and mechanical parts; 90 days labor  | •  |

KEY | • STANDARD • OPTIONAL\*

### ACTIVATE SERIES: SIMPLE RELIABILITY

Cardio equipment that's suited for both new exercisers and workout veterans. Activate Series treadmills, cross-trainers and Lifecycle® exercise bikes are built to be durable and easy to use so that exercisers can get on and go.

\*Optional TV requires external power source. AC power line, 115 volt, 15 amp (voltage may vary outside the U.S.) \*\* Warranties outside the U.S. may vary. Specifications subject to change

# LifeFitness.com/ActivateSeries

© 2016 Life Fitness, a division of Brunswick Corporation. All rights reserved. Life Fitness and Lifecycle are registered trademarks of Brunswick Corporation. Activate, LFconnect are trademarks of Brunswick Corporation. . FitLinxx is a trademark of FitLinxx, Inc. Polar is a registered trademark of Polar Electro, Inc. PM-013-16 (5.16)



Activate<sup>™</sup> Series cardio equipment is for facilities looking for intuitive functionality and extremely reliable performance. It is ideal for small health clubs, residential facilities and hotels.



A COMFORTABLE RIDE A relaxed body position and step-through design combine to create an inviting cardio workout.



EASY TO USE The Activate Series console provides clear and simple instruction for any exerciser to get on and go.



MAX USER WEIGHT: 400 lbs (181 kg)

DIMENSIONS (L X W X H): 64 x 27 x 45" (163 x 67 x 115 cm)





OPTIONAL ATTACHABLE TV Keep exercisers entertained by upgrading to a 15" attachable TV.



CONNECTION TO CARDIO LFconnect.com and the optional Connect Module provide valuable usage data to determine new equipment needs, preventive maintenance schedules and more.

| TECHNICAL SPECIFICATIONS   |                                      |
|--|--------------------------------------|
| Power requirements (voltage may vary outside U.S)  | Self powered*                        |
| Auto start (Brings power to console when user begins pedaling)   | •                                    |
| Size (L x W x H)   | 64 x 27 x 45"<br>(163 x 67 x 115 cm) |
| Unit weight  | 200 lbs (91 kg)                      |
| Maximum user weight  | 400 lbs (182 kg)                     |
| ENTERTAINMENT  |                                      |
| 15" Attachable TV System*  | 0                                    |
| Goal Workouts: Quick Start, Manual, Random, Hill,<br>Cardio, Fat Burn, Fit Test, Watts, Customized Cool Down   | •                                    |
| DISPLAY READOUTS   |                                      |
| Amber LED display  | •                                    |
| 16-character, 14-segment LED alphanumeric message center   | ٠                                    |
| Speed, Resistance Level, Heart Rate, Elapsed Time, Distance, Calories, Calories per Hour, Watts, METS, RPM   | •                                    |
| Workout Profile  | •                                    |
| Language choices: English, French, Spanish, German, Dutch,<br>Italian, Portuguese, Turkish, Japanese, Russian, Chinese<br>(traditional and simplified), Korean | 13                                   |
| CONNECTIVITY   |                                      |
| Networking capabilities: CSAFE-Ready, FitLinxx™ Certified  | •                                    |
| Available tuner systems: NTSC/ATSC, PAL/SECAM/DVB  | 0                                    |
| Connect Module for asset management  | 0                                    |
| SERVICE  |                                      |
| LFconnect asset management with Connect Module   | 0                                    |
| Service enhancements: manager's optional settings and service diagnostics  | •                                    |

| PRODUCT FEATURES         Heart Rate Monitoring: Polar® Telemetry, Lifepulse™ Digital         Heart Rate Monitoring with DSP (Digital signal processing)         Resistance levels         Seat adjustments | •<br>25<br>34<br>• |
|--|--------------------|
| Heart Rate Monitoring with DSP (Digital signal processing) Resistance levels   | 25<br>34           |
|  | 34                 |
| Seat adjustments   |                    |
| Contradjuotinonio  | •                  |
| Easy adjust pedal strap  |                    |
| Support handlebars   | •                  |
| Deluxe back support  | •                  |
| Step-through design  | •                  |
| Wide Ride <sup>™</sup> Pedals  | •                  |
| Side handlebars with contact heart rate  | •                  |
| Integrated reading rack  | •                  |
| Integrated accessory tray  | •                  |
| Front wheels for easy mobility   | •                  |
| Screen protection: Protective top layer, internal shock mounts, gasket   | 0                  |
| On-the-fly programming   | •                  |
| Headphone jack: 3.5 mm stereo  | 0                  |
| Plug-in accessory  | 0                  |
| TV Controls: External numeric remote   | 0                  |
| Channel memory: 1000 available channels  | 0                  |
| Previous channel viewed  | 0                  |
| Channel renumbering  | o                  |
| Secondary Audio Programs (SAP) - SAP TV broadcast required   | 0                  |
| Mute feature   | o                  |
| Closed captioning  | 0                  |
| WARRANTY**   |                    |
| 2 year limited on electrical and mechanical components   | •                  |
| 1-year limited on labor  | •                  |
| Attachable TV System option: 2-years electrical and mechanical parts; 90 days labor  | ٠                  |

KEY | • STANDARD • OPTIONAL\*

#### ACTIVATE SERIES: SIMPLE RELIABILITY

Cardio equipment that's suited for both new exercisers and workout veterans. Activate Series treadmills, cross-trainers and Lifecycle® exercise bikes are built to be durable and easy to use so that exercisers can get on and go.

\*Optional TV requires external power source. AC power line, 115 volt, 15 amp (voltage may vary outside the U.S.) \*\* Warranties outside the U.S. may vary. Specifications subject to change

## LifeFitness.com/ActivateSeries

©2016 Life Fitness, a division of Brunswick Corporation. All rights reserved. Life Fitness and Lifecycle are registered trademarks of Brunswick Corporation. Activate, LFconnect and Wide RIde are trademarks of Brunswick Corporation. FitLinxx is a trademark of FitLinxx, Inc. Polar is a registered trademark of Polar Electro, Inc. PM-013-16 (5.16)

